

### Comparative Performance of Acoustic- and PIT-tagged Juvenile Salmonids

**AMW Rub, LG Gilbreath, BP Sandford, RL McComas, & EE Hockersmith**: NOAA Fisheries, Northwest Fisheries Science Center, 2725 Montlake Boulevard E., Seattle, WA 98112

RS Brown, KA Deters, JA Vucelick & Geoff McMichael: Battelle, Pacific Northwest Division, PO Box 999, Richland, Washington, 99354

**MB Eppard**: U.S. Army Corps of Engineers Portland District, 333 SW First Ave Portland, OR 97204



#### Pacific Northwest National Laboratory


Operated by Battelle for the U.S. Department of Energy




In the spring and summer of 2007, we conducted a comprehensive study to evaluate the effects of JSATS system 'micro'-acoustic tags on juvenile Chinook salmon migrating seaward through the Columbia River hydropower system.



Avg: Feq. Bysden W = 22.4 by FL = 12% W = 3%



ANGI-TEL BINGERM W = 12.8 g W = 4.79(FL = 18% W = 8% pilot group)






#### **Objectives:**


- •To determine if survival differs between fish implanted with acoustic tags and fish implanted with PIT tags
- •To determine if detection probabilities differ between fish implanted with acoustic tags and fish implanted with PIT tags
- •To determine if travel times differ between fish implanted with acoustic tags and fish implanted with PIT tags
- •If survival, detection probability or travel time differs between treatment groups, determine why?












#### **Sort-by-Code Necropsies:**


- •A portion of each release/treatment group was intercepted at McNary Dam (spring fish) & Bonneville Dam (spring & subyearling fish) to evaluate fish condition posttagging
- Baseline samples were obtained from study fish at Lower Granite Dam at the time of tagging
- •Fish were weighed and measured and full necropsies were performed on them to evaluate tag loss, healing, tissue response to tagging, fish condition, BKD (based on ELISA)






#### **Laboratory Holding:**


- •500 gal. circular tanks
- •14 days in flow-through river water at ambient temperature
- •76 days in artificial seawater (30 ppt) at 12-13°C
- •Fish were monitored for tag loss and survival throughout holding
- •At the end of the 90 day holding period, fish were euthanized, measured, weighed, and necropsies were performed on them to evaluate tissue response to tagging
- •BKD ELISA assays were performed on kidney tissue from all laboratory fish after termination.
















### Spring Chinook Survival from Lower Granite to McNary Dam by Release Date



AT/PIT = 88%


AT/PIT = 100%

### Spring Chinook Survival from Lower Granite to John Day Dam by Release Date



AT/PIT = AT/PIT = 92%





AT/PIT = 100%

p = .23

p = .002

#### $\left\{ \left\| \right\| \right\}$

#### **Conclusions Spring Study:**

- •No significant difference in the probability of being detected between AT and PIT fish throughout the study area
- •No significant difference in travel times between AT and PIT fish throughout the study area
- •94% (p=.068, alpha = .10) relative survival AT/PIT for study fish migrating in river to McNary Dam (total distance of 225 RKm)
- Strong temporal component to difference in survival for migrating fish AT/PIT
  - Possibly due to differences in fish condition; size, weight, disease load and overall health
  - Differences in flow in river at time of tagging/migration
- •Observed difference in survival in river supported by laboratory studies AT/PIT 92% (p=.002, alpha = .10) at conclusion of freshwater holding phase

### Survival and behavior of subyearling Chinook salmon

Examined both using field studies and lab studies

#### **Field Studies:**

Implantation of Acoustic transmitters in 9839 subyearling fall Chinook salmon Released on 27 days between June 4 and July 13

2,092 fish < 95 mm - focus of today's talk

Matched with 26,112 PIT tagged fish ≥ 95 mm

### Survival and behavior of subyearling Chinook salmon

Examined both using field studies and lab studies

#### **Laboratory Studies:**

Transported to Bonneville Dam on 9 dates between June 4 and July 13

40 fish < 95 mm AT & PIT

40 fish > 95 mm AT & PIT


40 fish > 95 mm PIT

40 fish  $\geq$  95 mm control


Held for 90 days before necropsy




# Survival and behavior of subyearling Chinook salmon was examined from Lower Granite Dam to McNary Dam



### Detection probability of PIT tags in test groups at downstream PIT tag detection sites




#### Mean Fall Chinook Inriver Travel Time From Release To Downstream PIT Tag Detection Sites




**Detection site** 


### Fall Chinook Inriver Travel Time From Release To McNary Dam



#### Mean Fall Chinook Inriver Survival From Release To Downstream PIT Tag Detection Site




### Mean Fall Chinook Inriver Survival From Release To McNary Dam




### Fall Chinook Inriver Survival From Release To McNary Dam

The tag effect is lowest during the early season




#### Relative survival of AT vs PIT fish in relation to water temperature


Little difference in relative survival as increases from 15 to water increases to 18-20 degrees



#### Relative survival of AT vs PIT fish in relation to water discharge




## Tag Effects Study 2007 - Subyearling Chinook Salmon 90-Day Survival in Holding



#### Laboratory held fish

#### Relationship between length and mortality



#### **Conclusions**

There was a significant tag effect within fall Chinook salmon (where)

The tag effect increased the farther downstream fish traveled

Survival decreased over the field season for PIT and AT fish

The tag effect increased over the field season and was positively correlated to water temperature

Travel time was slower for AT than PIT fish

Survival of fish in the lab reflected those in the field

#### **FY 08 Activities**

Back off from field work

Continue lab work

Try to determine how much of the tag effect is due to the tag and how much due to tagging process use sham tagged groups test groups with smaller transmitters

Look at different treatments to improve survival of tagged fish Fish treated with different antiseptic treatment (dips)

#### **Acknowledgments:**

Ann Setter, Abby Welch, Brenda James, Brett Pflugrath, Brian Bellgraph, Carmina Arimescu, Cheryl Morisaki, Chris Eaton, Corey Duberstein, Craig Allwardt, Dave Marvin, Doug Marsh and crew, Doug Ross, Eric Oldenburg, Ethan Ellsworth, Gayle Dirkes, Gene Matthews, Ian Welch, James Hughes, Jason Everett, Jen Monroe, Jennifer Panther, Jerry Harmon, John Skalski, John Stephenson, Karah Prather, Kate Hall, Kathleen Carter, Katie Murray, Katie Ovink, Ken McIntyre, Kenneth Ham, Larry Basham, Laura Leighton, Lila Charlton, Mark Meyers, Mark Peterson, Matt Bleich, Mike Halter, Nathan Phillips, Niel Paasch, Paul James, Rick Martinson, Scott Davidson & the NOAA Pasco Shop crew, Scott Titzler, Shon Zimmerman, Steve Smith, Tom Carlson, & Tom Ruhle

